



**Baha University**

*Prof. Mohamed Ahmed Ebrahim*

**Benha University**  
**Faculty of Engineering at Shoubra**  
**Electrical Engineering Dept.**



# ***Industrial Controls (1)***

*By*



*Associate Prof. / Mohamed Ahmed Ebrahim Mohamed*

E-mail: [mohamedahmed\\_en@yahoo.com](mailto:mohamedahmed_en@yahoo.com)

[mohamed.mohamed@feng.bu.edu.eg](mailto:mohamed.mohamed@feng.bu.edu.eg)

Web site: <http://bu.edu.eg/staff/mohamedmohamed033>





# *Lecture (4)*



# PLC operation sequence

4

## 1. Self test

- Testing of its own hardware and software for faults.

## 2. Input scan


- If there are no problems, PLC will copy all the inputs and copy their values into memory.

## 3. Logic solve/scan

- Using inputs, the ladder logic program is solved once and outputs are updated.

#### 4. Output scan

- While solving logic the output values are updated only in memory when ladder scan is done, the outputs will be updated using temporary values in memory.



# Programming languages of PLC

- Most common languages encountered in PLC programming are:
  1. Ladder logic.
  2. Functional Block Diagram.
  3. Sequential Function Chart.
  4. Boolean Mnemonics.


# Introduction to Ladder Programming

# Outline

1. System Block Diagram
2. Basic Components and Their Symbols
3. Ladder Diagram Fundamentals
4. Applications




# PLC Block Diagram



# Basic Components and Their Symbols

## Mushroom Head Push Button Switches



*Prof. Mohamed Ahmed Ebrahim*

# Basic Components (Cont'd)

## Limit Switches (LS)



Limit Switches


Limit switches can be mechanical or light activated switches

Examples: limit switches on the refrigerator door that turns ON the inside or to open doors in supermarkets

# Basic Components (Cont'd)

## Relays or Contactors


Electromagnetic devices




Relay or Contactor

# Basic Components (Cont'd)


## Push Button (PB) Switches



Normally Open  
(NO or N/O)



Normally Closed  
(NC or N/C)




One PB with both  
NO and NC contacts


## Momentary Pushbutton Switches

# Basic Components (Cont'd)

## Relays Symbols




Relay or Contactor




Relay Symbols

# Basic Components (Cont'd)

CR



control relay  
(internal relay or software relay)




When coil CR1 is energized, all the N/O CR1 contacts will be closed and all the N/C CR1 contacts will be open.

Likewise, if coil CR1 is de-energized, all the N/O CR1 contacts will be open and all the N/C CR1 contacts will be closed.

A contact labeled CR indicates that it is associated with a relay coil.


Each relay will have a specific number associated with it. The range of numbers used will depend upon the number of relays in the system.

# Example: AND Circuit






# Example: AND Circuit (Cont'd)



# Example: AND/OR Circuit




AND-OR Lamp Circuit

*Numbering Systems  
&  
Codes*

# Analog and Digital Signal


## Analog system

- ▣ The physical quantities or signals may vary continuously over a specified range.



## Digital system


- ▣ The physical quantities or signals can assume only discrete values.
- ▣ Greater accuracy



*Dr : Mohamed Ahmed Ebrahim*

# Binary Digital Signal

- An information variable represented by physical quantity.
- For digital systems, the variable takes on discrete values.
  - ▣ Two level, or binary values are the most prevalent values.
- Binary values are represented abstractly by:
  - ▣ Digits 0 and 1
  - ▣ Words (symbols) False (F) and True (T)
  - ▣ Words (symbols) Low (L) and High (H)
  - ▣ And words On and Off
- Binary values are represented by values or ranges of values of physical quantities.



# Numbering Systems

- A familiarity with number systems is quite useful when working with programmable controllers.
- In general, programmable controllers use binary numbers in one form or another to represent various codes and quantities.

# Cont.

- **The following statements apply to any number system:**
  1. Every number system has a base or radix.
  2. Every system can be used for counting.
  3. Every system can be used to represent quantities or codes.
  4. Every system has a set of symbols.

# Cont.

- The number systems usually encountered while using programmable controllers are base 2, base 8, base 10, and base 16. These systems are called binary, octal, decimal, and hexadecimal, respectively.

Numbering Systems		
System	Base	Digits
Binary	2	0 1
Octal	8	0 1 2 3 4 5 6 7
Decimal	10	0 1 2 3 4 5 6 7 8 9
Hexadecimal	16	0 1 2 3 4 5 6 7 8 9 A B C D E F




*Decimal  
Numbering  
System*

# 1. Decimal Number System

- How is a **positive integer** represented in decimal?
- Let's analyze the decimal number **375**:

$$\begin{aligned} 375 &= (3 \times 100) + (7 \times 10) + (5 \times 1) \\ &= (3 \times 10^2) + (7 \times 10^1) + (5 \times 10^0) \end{aligned}$$




# Decimal System Principles

- A decimal number is a sequence of **digits**
- Decimal **digits** must be in the set:  
 $\{0, 1, 2, 3, 4, 5, 6, 7, 8, 9\}$  (Base 10)
- Each digit contributes to the **value** the number represents
- The **value** contributed by a **digit** equals the product of the **digit times the weight of the position** of the digit in the number

# Cont.

- Position weights are powers of 10
- The weight of the rightmost (least significant digit) is  $10^0$  (i.e.1)
- The **weight** of any position is  $10^x$ , where x is the number of positions to the right of the least significant digit



# Bits


- In a computer, information is stored using digital signals that translate to **binary numbers**
- A single binary digit (0 or 1) is called a **Bit**.
  - ▣ A single bit can represent two possible states, on (1) or off (0)
- Combinations of bits are used to store values.

# Data Representation

- Data representation means encoding **data** into **bits**.
  - Typically, **multiple bits** are used to represent the '**code**' of each **value** being represented
- Values being represented may be characters, numbers, images, audio signals, and video signals.
- Although a different scheme is used to encode each type of data, in the end the code is always a string of **zeros** and **ones**.

# Decimal to Binary

- So in a computer, the only possible digits we can use to encode data are **{0,1}**
  - ▣ The numbering system that uses this set of digits is the **base 2 system** (also called the **Binary** Numbering System)
- We can apply all the principles of the base 10 system to the base 2 system



*Binary*

*Numbering*


*System*



## 2. Binary Numbering System

- How is a **positive integer** represented in **binary**?
- Let's analyze the binary number **110**:

$$\begin{aligned} \mathbf{110} &= (\mathbf{1} \times 2^2) + (\mathbf{1} \times 2^1) + (\mathbf{0} \times 2^0) \\ &= (\mathbf{1} \times 4) + (\mathbf{1} \times 2) + (\mathbf{0} \times 1) \end{aligned}$$



- So a count of **SIX** is represented in binary as **110**

# Binary to Decimal Conversion

- To convert a base 2 (binary) number to base 10 (decimal):
  - Add all the values (positional weights) where a **one** digit occurs
  - Positions where a **zero** digit occurs do NOT add to the value, and can be ignored

# Cont.

**Example (1): Convert binary 100101 to decimal**

(written  $1\ 0\ 0\ 1\ 0\ 1_2$ ) =

$$\begin{array}{r} 1 \cdot 2^0 + \longrightarrow 1 + \\ 0 \cdot 2^1 + \\ 1 \cdot 2^2 + \longrightarrow 4 + \\ 0 \cdot 2^3 + \\ 0 \cdot 2^4 + \\ 1 \cdot 2^5 \longrightarrow \underline{32} \end{array}$$

**37**<sub>10</sub>

# Cont.

**Example (2):**  $10111_2$

positional powers of 2:  $2^4$   $2^3$   $2^2$   $2^1$   $2^0$   
decimal positional value: **16** **8** **4** **2** **1**

binary number:

$$16 + 4 + 2 + 1 = 23_{10}$$

# Cont.

**Example (3):**  $110010_2$

positional powers of 2:  $2^5$   $2^4$   $2^3$   $2^2$   $2^1$   $2^0$   
decimal positional value: 32 16 8 4 2 1

binary number:

$$\begin{array}{cccccc} 1 & 1 & 0 & 0 & 1 & 0 \\ \downarrow & \searrow & & & \downarrow & \\ 32 & + & 16 & + & 2 & = 50_{10} \end{array}$$

# Decimal to Binary Conversion

## The Division Method

- 1) Start with your number (call it  $N$ ) in base 10
- 2) Divide  $N$  by 2 and record the remainder
- 3) If (quotient = 0) then stop  
else make the quotient your new  $N$ , and go back to step 2

The **remainders** comprise your answer, starting with the last remainder as your first (leftmost) digit.

In other words, divide the decimal number by 2 until you reach zero, and then collect the remainders in reverse.


# Cont.

## Using the **Division Method**:

Divide decimal number by 2 until you reach zero, and then collect the **remainders** in reverse.

**Example(1):**                       $22_{10}$                       =  $10110_2$

$2 \overline{) 22}$	<u>Rem:</u>
$2 \overline{) 11}$	0
$2 \overline{) 5}$	1
$2 \overline{) 2}$	1
$2 \overline{) 1}$	0
0	1




# Cont.

## Using the **Division Method**

**Example 2:**  $56_{10} = 111000_2$

$2 \overline{) 56}$	Rem:
$2 \overline{) 28}$	0
$2 \overline{) 14}$	0
$2 \overline{) 7}$	0
$2 \overline{) 3}$	1
$2 \overline{) 1}$	1
0	1





# Cont.

## The Subtraction Method

- Subtract out largest power of 2 possible (without going below zero), repeating until you reach 0.
  - Place a 1 in each position where you **COULD** subtract the value
  - Place a 0 in each position that you could **NOT** subtract out the value without going below zero.

# Cont.

Example 1:

$21_{10}$

21	$2^6$	$2^5$	$2^4$	$2^3$	$2^2$	$2^1$	$2^0$
	64	32	16	8	4	2	1
<u>- 16</u>							
5				1	0	1	0
<u>- 4</u>							1
1							
<u>- 1</u>							
0							

Answer:  $21_{10} = 10101_2$

# Cont.

**Example 2:**

$56_{10}$

$$\begin{array}{r} 56 \\ - \underline{32} \\ 24 \\ - \underline{16} \\ 8 \\ - \underline{8} \\ 0 \end{array}$$

$2^6$		$2^5$	$2^4$	$2^3$	$2^2$	$2^1$	$2^0$
64		32	16	8	4	2	1
		1	1	1	0	0	0

**Answer:**  $56_{10} = 111000_2$

*Octal  
Numbering  
System*

# 3. Octal Numbering System

- **Base:** 8
- **Digits:** 0, 1, 2, 3, 4, 5, 6, 7

➤ **Octal number:**  $357_8$

$$= (3 \times 8^2) + (5 \times 8^1) + (7 \times 8^0)$$

To convert to base 10, beginning with the **rightmost** digit, multiply each **n**th digit by  $8^{(n-1)}$ , and add all of the results together.

# Octal to Decimal Conversion

- Example 1:

$357_8$

positional powers of 8:             $8^2$      $8^1$      $8^0$

decimal positional value:        64      8      1

Octal number:                      3      5      7

$$(3 \times 64) + (5 \times 8) + (7 \times 1)$$

$$= 192 + 40 + 7 = 239_{10}$$

# Cont.

▪ **Example 2:**  $1246_8$

positional powers of 8:  $8^3$     $8^2$     $8^1$     $8^0$

decimal positional value: 512   64   8   1

Octal number:                    1        2        4        6

$$(1 \times 512) + (2 \times 64) + (4 \times 8) + (6 \times 1)$$

$$= 512 + 128 + 32 + 6 = 678_{10}$$

# Decimal to Octal Conversion

## The **Division** Method

- 1) Start with your number (call it  $N$ ) in base 10
- 2) Divide  $N$  by 8 and record the remainder
- 3) If (quotient = 0) then stop  
else make the quotient your new  $N$ , and go back to step 2

The **remainders** comprise your answer, starting with the last remainder as your first (leftmost) digit.

In other words, divide the decimal number by 8 until you reach zero, and then collect the remainders in reverse.



# Cont.

Using the **Division Method**:

Example 1:

$$214_{10} = 326_8$$

$$8 \overline{) 214}$$

$$8 \overline{) 26}$$

$$8 \overline{) 3}$$

0

Rem:

6

2


3



# Cont.

Example 2:

$$4330_{10} = 10352_8$$

8 ) <u>4330</u>	<u>Rem:</u>	
8 ) <u>541</u>	2	
8 ) <u>67</u>	5	
8 ) <u>8</u>	3	
8 ) <u>1</u>	0	
0	1	

# Cont.

## The Subtraction Method

- Subtract out multiples of the largest power of 8 possible (without going below zero) each time until you reach 0.
  - Place the **multiple value** in each position where you **COULD** subtract the value.
  - Place a **0** in each position that you could **NOT** subtract out the value without going below zero.

# Cont.

**Example 1:**       $315_{10}$

315		$8^2$	$8^1$	$8^0$
<u>- 256</u>	(4 x 64)	64	8	1
59				
<u>- 56</u>	(7 x 8)	4	7	3
3				
<u>- 3</u>	(3 x 1)			
0				

**Answer:**  $315_{10} = 473_8$

*Prof. Mohamed Ahmed Ebrahim*

# Cont.

Example 2:

$2018_{10}$

$$\begin{array}{r} 2018 \\ - \underline{1536} \text{ (3 x 512)} \\ 482 \\ - \underline{448} \text{ (7 x 64)} \\ 34 \\ - \underline{32} \text{ (4 x 8)} \\ 2 \\ - \underline{2} \text{ (2 x 1)} \\ 0 \end{array}$$

$8^4$	$8^3$	$8^2$	$8^1$	$8^0$
4096	512	64	8	1
	3	7	4	2

Answer:  $2018_{10} = 3742_8$

*Hexadecimal (Hex)  
Numbering  
System*

# 4. Hexadecimal (Hex)Numbering System

- Base: 16
- Digits: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, A, B, C, D, E, F

➤ Hexadecimal number:  $1F4_{16}$

$$= (1 \times 16^2) + (F \times 16^1) + (4 \times 16^0)$$

# HEX Extra Digits

Decimal Value	Hexadecimal Digit
10	A
11	B
12	C
13	D
14	E
15	F



# Hex to Decimal Conversion

- **To convert to base 10:**
  - A. Begin with the rightmost digit
  - B. Multiply each  $n$ th digit by  $16^{(n-1)}$
  - C. Add all of the results together

# Cont.

□ Example 1:

$1F4_{16}$

positional powers of 16:	$16^3$	$16^2$	$16^1$	$16^0$
decimal positional value:	4096	256	16	1

Hexadecimal number: 1 F 4

$$\begin{aligned} & (1 \times 256) + (F \times 16) + (4 \times 1) \\ &= (1 \times 256) + (15 \times 16) + (4 \times 1) \\ &= 256 + 240 + 4 = 500_{10} \end{aligned}$$

Answer

# Cont.

□ Example 2:

$25AC_{16}$

positional powers of 16:	$16^3$	$16^2$	$16^1$	$16^0$
decimal positional value:	4096	256	16	1

Hexadecimal number:    2        5        A        C

$$(2 \times 4096) + (5 \times 256) + (A \times 16) + (C \times 1) \\ = (2 \times 4096) + (5 \times 256) + (10 \times 16) + (12 \times 1)$$

Answer =  $8192 + 1280 + 160 + 12 = 9644_{10}$

# Decimal to Hex Conversion

## The Division Method

- 1) Start with your number (call it  $N$ ) in base 10
- 2) Divide  $N$  by 16 and record the remainder
- 3) If (quotient = 0) then stop  
else make the quotient your new  $N$ , and go back to step 2

The **remainders** comprise your answer, starting with the last remainder as your first (leftmost) digit.

In other words, divide the decimal number by 16 until you reach zero, and then collect the remainders in reverse.

# Cont.

Using The **Division Method**:

Example 1:  $126_{10} =$

$16 \overline{) 126}$	<u>Rem:</u>
$16 \overline{) 7}$	$14 = E$
0	7



Answer =  $7E_{16}$

# Cont.

Example 2:  $603_{10} =$

$$16 \overline{) 603}$$

$$16 \overline{) 37}$$

$$16 \overline{) 2}$$

0

Rem:

$$11 = B$$

5

2



Answer = **25B**<sub>16</sub>

# Cont.

## The Subtraction Method

- Subtract out multiples of the largest power of 16 possible (without going below zero) each time until you reach 0.
  - Place the **multiple value** in each position where you **COULD** to subtract the value.
  - Place a **0** in each position that you could **NOT** subtract out the value without going below zero.

# Cont.

Example 1:  $810_{10}$

$$\begin{array}{r} 810 \\ - 768 \quad (3 \times 256) \\ \hline 42 \\ - 32 \quad (2 \times 16) \\ \hline 10 \\ - 10 \quad (10 \times 1) \\ \hline 0 \end{array}$$

$$\begin{array}{r} 16^2 \quad 16^1 \quad 16^0 \\ 256 \quad 16 \quad 1 \\ \\ 3 \quad 2 \quad A \end{array}$$

Answer:  $810_{10} = 32A_{16}$



# Cont.

Example 2:  $156_{10}$

$$\begin{array}{r} 156 \\ - 144 \quad (9 \times 16) \\ \hline 12 \\ - 12 \quad (12 \times 1) \\ \hline 0 \end{array}$$

$$\begin{array}{r} 16^2 \quad 16^1 \quad 16^0 \\ 256 \quad 16 \quad 1 \\ \phantom{256} \quad 9 \quad C \end{array}$$

Answer:  $156_{10} = 9C_{16}$

# *Numbering Conversion*

# Binary to Octal Conversion

- The maximum value represented in 3 bit is:  $2^3 - 1 = 7$
- So using 3 bits we can represent values from 0 to 7 which are the digits of the Octal numbering system.
- Thus, three binary digits can be converted to one octal digit.

# Cont.

Three-bit Group	Decimal Digit	Octal Digit
000	0	0
001	1	1
010	2	2
011	3	3
100	4	4
101	5	5
110	6	6
111	7	7

# Cont.

**Ex:** Convert  $10100110_2$  to octal

Starting at the right end, split into groups of 3:

10 100 110 →

110 = 6


100 = 4

010 = 2 (pad empty digits with 0)

**Answer:**  $10100110_2 = 246_8$

# Octal to Binary Conversion

**Ex:** Convert  $742_8$  to binary  
Convert each octal digit to 3 bits:



$$742_8 = 111100010_2$$

# Binary to Hex Conversion

- The maximum value represented in 4 bit is:

$$2^4 - 1 = 15$$

- So using 4 bits we can represent values from 0 to 15 which are the digits of the Hexadecimal numbering system.
- Thus, four binary digits can be converted to one hexadecimal digit.

<b>Four Bit Group</b>	<b>Decimal Digit</b>	<b>HEX Digit</b>
0000	0	0
0001	1	1
0010	2	2
0011	3	3
0100	4	4
0101	5	5
0110	6	6
0111	7	7
1000	8	8
1001	9	9
1010	10	A
1011	11	B
1100	12	C
1101	13	D
1110	14	E
1111	15	F

*Prof. Mohamed Ahmed Ebrahim*



## Cont.

**Ex:** Convert  $110100110_2$  to hex

Starting at the right end, split into groups of 4:

11010    0110 →

0110 = 6

1010 = A

0001 = 1 (pad empty digits with 0)

**Answer:**  $110100110_2 = 1A6_{16}$

# Hex to Binary Conversion

**Ex:** Convert  $3D9_{16}$  to binary

Convert each hex digit to 4 bits:

$$3 = 0011$$

$$D = 1101$$

$$9 = 1001$$

0011 1101 1001 →

**Answer:**  $3D9_{16} = 1111011001_2$  (can remove leading zeros)

# Octal to Hex Conversion


- To convert between the Octal and Hexadecimal numbering systems:
  - Convert from **one** system to **binary** first
  - **Then** convert from **binary** to the **new numbering** system

# Cont.

**Ex:** Convert  $752_8$  to hex

1. First convert the octal to binary:

111 101 010<sub>2</sub>

  
0001 1110 1010

re-group by 4 bits  
(add leading zeros)

2. Then convert the binary to hex:

1 E A


**So**  $752_8 = 1EA_{16}$

# Hex to Octal Conversion

**Ex:** Convert  $E8A_{16}$  to octal

1. First convert the hex to binary:

1110 1000 1010<sub>2</sub>

  
111 010 001 010 and re-group by 3 bits  
(starting on the right)

2. Then convert the binary to octal:

7 2 1 2

**So**  $E8A_{16} = 7212_8$

# Activity

□ **Ex:** Convert the following numbers:

1.  $1010111101_2$  to Hex

2.  $82F_{16}$  to Binary

# Answers

1.  $1010111101_2$      $\rightarrow$  10 1011  
1101                             $=$  2BD<sub>16</sub>

2. 82F<sub>16</sub>             $=$  0100 0010 1111  
 $\rightarrow$  10000101111<sub>2</sub>

**Thank You**  
**For Your Attention**



*Mohamed Ahmed  
Ebrahim*